


Wheel in galvanized or stainless steel with 1 bolt, V groove, 2 ball bearings



Technical features:

The wheel is built by assembling:

- n°1 galvanized wheel body made from 11SMn30 or C45 steel, turned on a CNC lathe.
- n° 1 100 Cr6 ball bearing with or 6201 (110/5/17;110/6/17) or 6203 double plastic shielding.
- n° 1 UNI 5739 galvanized screw
- n° 1 UNI 5588 galvanized nut screw
- n° 2 galvanized spacers made from 11SMn30 or C45 steel

Dimensions:

Art.	Ø (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E	Weight (kg)	Load Capacity (kg)	Packg
117/5/17	50	17	19	10	3,5	M10x45	0,220	200	25
117/6/17	60	17	19	10	3.5	M10x45	0,300	200	20
117/7/20	70	20	32	13	4	M14x70	0,500	600	12
117/8/20	80	20	32	13	4	M14x70	0,680	600	10
117/9/20	90	20	32	13	4	M14x70	0,850	600	10
117/10/20	100	20	32	13	4	M14x70	1,100	600	8
117/12/20	120	20	32	13	4	M14x70	1,600	600	6
117/14/20	140	20	32	13	4	M14x70	2,200	600	6
117/16/20	160	20	32	13	4	M14x70	2,900	600	6
117/8/25	80	25	32	20	8	M14x70	0,700	600	6
117/10/25	100	25	32	20	8	M14x70	1,190	600	6

The quality management system of NOVA-FERR srl complies with the requirements of the standard for quality management systems.



Art.	Ø (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E	Weight (kg)	Load Capacity (kg)	Packg
117/12/25	120	25	32	20	8	M14x70	1,800	600	6
117/14/25	140	25	32	20	8	M14x70	2,520	600	6
117/16/25	160	25	32	20	8	M14x70	3,300	600	6

The load capacity is for pair of wheels

Art.	Ø (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E	Weight (kg)	Load Capacity (kg)	Packg
1117/8/20	80	20	32	13	4	M14x70	0,680	600	10
1117/10/20	100	20	32	13	4	M14x70	1,100	600	8

The load capacity is for pair of wheels

Wheels Art. **1117/8/20 e 1117/10/20** are made of stainless steel.

Description:

The wheels are used to slide any iron support that needs to be rolled on profile guides to be cemented or screwed (refer to the items of Nova-Ferr General Catalog, WHEEL section).

The peculiar V shape of the wheel's groove has been specially designed to reduce its own wear as well as the exhaustion of the track guide on which it rides and to make the slip more effective and linear.

The quality management system of NOVA-FERR srl complies with the requirements of the standard for quality management systems.

